



宇顺电子有限公司

YUSH Electronic Technology Co.,Ltd

Tel:86-512-62751429 FAX :86-512-62751429

[http:// www.hk-yush.com](http://www.hk-yush.com) E-mail: evaliu@hk-yush.com

Address: 3 Building NO 11 ,Chunhui Road, Suzhou Industrial Park, Jiangsu Province .



YSPE PCB/ FPC Punching Machine Feature:

- 1、PCBA Punch Machine is punch mold machine .
- 2、Equipment, compact structure, solid body, cylinder bore 125,160,200 AirTAC.
- 3、Equipment running smoothly, low vibration, low noise.
- 4、English touch screen display, clear panel, alarm function showed abnormal warning glance.
- 5、Machine generality. Can replace a variety of mold and die change quick and easy.
- 6、Device Security:

6.1. Double switch start operation.

6.2. Device configuration mode and out of the chute, and out of the lower mold automatic pick and place convenient and safe products.

6.3. Set the emergency stop switch, identify problems and timely shutdown.

6.4. Set security doors, installation and commissioning of the mold to avoid straying hands. (Normal operation without security door does not work) .

6.5. Set security door grating sensing device, placed in the wrong plate on the mold of the injection device can sense the mistakes, the mold can not enter.

6.6. Safety pressure setting function, limit alarm. Automatic counting, limit downtime.

7、 The internal stress generated when the cutting board to a minimum and to avoid cracking of tin.

8、 Punching semi-finished PCB, FPC high efficiency.

Machine specifications:

1、 Machine size: 820×740×1750mm

2、 Output: 3T / 8T / 10T

3、 Cylinder return Opening Force:: 1.5T 4T 5T

4、 Working pressure 0.50-0.70Mpa Dry air supply

5、 Working Area 330×220mm

6、 Power 220VAC

7、 Punch Speed: 8~15s Can adjustable (Not include put boards and pickup time)

8、 work plan: ≥60mm

9、 Work Noise: ≤60dB

10、 Working Accuracy: ±0.05mm

11、 Machine weight: 580kg



Customized small punch machine:

